

IT'S

EASY

TO BE

**KLOSZE /
COVERS**

Karta produktu
Data sheet

CREATIVE

	TRANSPARENTNY PVC/PC transparent PVC/PC	MROŻONY PVC/PC frozen PVC/PC	MLECZNY PVC milky PVC/PC	NEW FRACTAL PC opal	NEW FRACTAL PC clear	TRANSPARENTNY PMMA transparent PMMA	MROŻONY PMMA frozen PMMA	MLECZNY PMMA milky PMMA	FROSTED MLECZNY PMMA milky frosted PMMA PMMA	Prismatic PC	Czarny PMMA black PMMA	SREBRNY silver
BASIC												
HIGH* tylko PC i PMMA / only PC and PMMA												
WIDE												
SLIM												
DOUBLE												
TERRA												
SLIM LENS 15												
BASIC LENS 15												
BASIC LENS 30												
SUPER WIDE												
PLEXI TIANO PLEXI SUPER WIDE												
RASTER WIDE												

PRZEPUSZCZALNOŚĆ / TRANSPARENCY*

RODZAJE KLOSZY type of covers	TEMPERATURA PRACY MATERIAŁU operating temperature of material	BASIC	HIGH	WIDE	SLIM	DOUBLE	TERRA	SLIM LENS 15	BASIC LENS 15	BASIC LENS 30	SUPER WIDE	PLEXI TIANO PLEXI SUPER WIDE
DO PROFILI MEBLOWYCH fits furniture profiles		A / B / C / D / G / H / U / W / Y / Z	A / D		X / MICO	GEMI		X / MICO	A / B / C / D / G / H / U / W / Y / Z			
DO PROFILI ARCHITEKTONICZNYCH fits architectural profiles		COSMO / FALCO / FLARO / GAUDI / MONO / RETO / TIANO		SOLIS / INSO / ILEDO		HIRO / PLATO / SILEDA / INSILEDA DILEDA / INDILEDA UNICO / DOPIOTALIA / INTALIA / ZATI SUBLI / LOGI / CONVA TOPO / FERRO / VEDA	TERRA / SCALA / RUNO		COSMO / FALCO / GAUDI / RETO / MONO /		LARGO / INLARGO / SORGA	TIANO LARGO / INLARGO SORGA
TRANSPARENTNY PVC transparent PVC		88%		85%	84%							
MROŻONY PVC frozen PVC	-20°C + 65°C	66%		55%	63%							
MLECZNY PVC milky PVC		48%		28%	38%							40%
TRANSPARENTNY PMMA transparent PMMA		95%	95%	94%	95%	93%		96%		92%	93%	
MROŻONY PMMA frozen PMMA	-20°C + 70°C	78%	78%	73%	79%	79%						
MLECZNY PMMA milky PMMA		48%	52%	42%	39%	50%					72%	
FROSTED MLECZNY PMMA milky frosted PMMA		83%	83%	74%	83%	75%					76%	
TRANSPARENTNY PC transparent PC		92%		91%								
MROŻONY PC frozen PC	-50°C + 100°C	67%		63%								
MLECZNY PC milky PC		36%		30%			56%					
PRISMATIC PC				87%								
NEW FRACTAL PC opal	-50°C + 100°C	69%										
NEW FRACTAL PC clear	-50°C + 100°C	92%										
CZARNY PMMA black PMMA	-20°C + 70°C	24%	20%		23%	23%						

* Wszystkie badania zostały wykonane w laboratorium fotometrii Lumines. Tolerancja wyniku ± 5%
* All tests were carried out in the Lumines photometry laboratory. Result tolerance ± 5%.

LUMINES[®]
LIGHTING

www.lumines.pl

